



E-BIKES

www.der-fahrrad-tempel.de

SONIC EVO AM SX-1

UD carbon, polar silver
524901400440

400 Wh



SONIC SX BOSCH | MOUNTAIN



140 mm



130 mm



BOSCH

Drive Unit Bosch Performance Line SX 25/55 Nm **Charger** 2 A charger **Display** Bosch Mini Remote und System Controller **Frame** carbon fibre monocoque, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** RockShox Pike Ultimate Boost DEBONAIR 140 mm **Shock** RockShox Ultimate RT Debonair 130 mm **Gearshift** SRAM XX Eagle Transmission AXS **Gear** derailleur gear | 12-speed **Shifter** SRAM AXS Controller Rocker **Cassette** SRAM XG 1299 Eagle 10-52T **Brakes** TRP C2.3 RX hydraulic disc brake TRP 203 mm CL | TRP 203 mm CL **Handlebar** BULLS Enduro carbon 35 mm **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm **Saddle** Prologo Proxim W850 **Wheelset** MAVIC E-Crossmax SL Carbon **Tires** Wicked Will Evolution Super Race/Nobby Nic Evolution 62-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight



SONIC EVO AM SX 2

UD carbon, black
524901360440

400 Wh



140 mm



130 mm



BOSCH

Drive Unit Bosch Performance Line SX 25/55 Nm **Charger** 2 A charger **Display** Bosch Mini Remote und System Controller **Frame** carbon fibre monocoque, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** RockShox Pike Select Boost DEBONAIR 140 mm **Shock** RockShox Deluxe Select+ RT, DebonAir 130 mm **Gearshift** SRAM GX Eagle AXS **Gear** derailleur gear | 12-speed **Shifter** SRAM GX Eagle AXS **Crankset** SRAM GX 170 mm **Cassette** SRAM XG 1275 Eagle 10-52T **Brakes** TRP C2.3 RX hydraulic disc brake TRP 203 mm CL | TRP 203 mm CL **Handlebar** BULLS Enduro carbon 35 mm **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm **Saddle** Prologo Proxim 400 **Wheelset** MAVIC E-Crossmax CL **Tires** Wicked Will Performance/Nobby Nic Performance 62-622/60-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVO SX DAKAR

UD carbon, monza grey
524901480440

400 Wh



SONIC SX BOSCH | MOUNTAIN



CAR
BON



120 mm



BOSCH

Drive Unit Bosch Performance Line SX 25/55 Nm **Charger** 2 A charger **Display** Bosch Mini Remote und System Controller **Frame** carbon fibre monocoque, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** RockShox DebonAir Fork 120 mm **Gearshift** SHIMANO Deore XT RD-M8100 **Gear** derailleur gear | 12-speed **Shifter** SHIMANO SL-M8100-IR **Cassette** CS-M6100-12, 10-51T **Brakes** SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 203 mm **Handlebar** BULLS riserbar **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm **Saddle** Prologo Proxim 400 **Wheelset** MAVIC E-Crossride 1 CL MS **Tires** SCHWALBE G-One Allround 57-622 **Front light** MonkeyLink HS-100 HIGH-BEAM 100 Lux with high/low beam **Rear light** MonkeyLink Twinlight

SONIC EVO SX 2

UD carbon, black
524901240440

400 Wh



SONIC SX BOSCH | MOUNTAIN



CAR
BON



120 mm



BOSCH

Drive Unit Bosch Performance Line SX 25/55 Nm **Charger** 2 A charger **Display** Bosch Mini Remote und System Controller **Frame** carbon fibre monocoque, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** RockShox SID RL Boost DEBONAIR 120 mm **Gearshift** SRAM GX Eagle AXS **Gear** derailleur gear | 12-speed **Shifter** SRAM GX Eagle AXS **Cassette** SRAM XG 1275 Eagle 10-52T **Brakes** TRP C2.3 RX hydraulic disc brake TRP 203 mm CL | TRP 203 mm CL **Handlebar** BULLS riserbar **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm **Saddle** Prologo Proxim 400 **Wheelset** MAVIC E-Crossmax XL S CL **Tires** SCHWALBE Smart Sam Performance 60-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVA SX 1

UD carbon, dark rainbow

524901280440

400 Wh



CARBON



120 mm



BOSCH

Drive Unit Bosch Performance Line SX 25/55 Nm **Charger** 2 A charger **Display** Bosch Mini Remote und System Controller **Frame** carbon fibre monocoque, internal cable routing, thru axle **Framesize** S/M/L **Fork** BULLS LYTRO 34 SL Air Boost 120 mm **Gearshift** SHIMANO Deore RD-M6100 **Gear** derailleur gear | 12-speed **Shifter** SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV **Cassette** SHIMANO Deore, CS-M6100 10-51T **Brakes** SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 203 mm **Handlebar** BULLS riserbar **Stem** Polygon 45 mm **Seatpost** LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm **Saddle** Prologo Proxim 400 wide **Wheelset** MAVIC E-Crossride 1 CL MS **Tires** SCHWALBE Smart Sam Performance 60-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVO SX 1

UD carbon, green
524901200440

400 Wh



SONIC SX BOSCH | MOUNTAIN



120 mm



BOSCH

Drive Unit Bosch Performance Line SX 25/55 Nm **Charger** 2 A charger **Display** Bosch Mini Remote und System Controller **Frame** carbon fibre monocoque, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** BULLS LYTRO 34 SL LOR Air DS Boost 120 mm **Gearshift** SHIMANO Deore RD-M6100 **Gear** derailleur gear | 12-speed **Shifter** SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV **Cassette** SHIMANO Deore, CS-M6100 10-51T **Brakes** SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 203 mm **Handlebar** BULLS riserbar **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1UH 31,6 mm + SL-MT500-IL, 150 mm **Saddle** Prologo Proxim 400 **Wheelset** MAVIC E-Crossride 1 CL MS **Tires** SCHWALBE Smart Sam Performance 60-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVO AM 3 ABS

SONIC BOSCH | MOUNTAIN

UD carbon
524900600641

S: M-XL:
625 Wh / 750 Wh

Rear
27,5
Front
29



green



150 mm



150 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 4 A charger **Display** Bosch Mini Remote und System Controller
Frame carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** BULLS LYTRO 36 Supreme SL 1.8 Boost 150 mm **Shock** SR SUNTOUR Edge Comp 2CR 150 mm **Gearshift** SHIMANO Deore XT RD-M8100 **Gear** derailleur gear | 12-speed **Shifter** SHIMANO SL-M8100-IR **Crankset** e*thirteen 170 mm **Cassette** SHIMANO Deore, CS-M6100 10-51T **Brakes** TRP Trail EVO ABS 2.3 hydraulic disc brake TRP 203 mm 6-bolt | TRP 203 mm 6-bolt **Handlebar** BULLS riserbar **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1 34,9 mm + SL-MT500-IL, 170 mm **Saddle** Prologo Proxim 400 **Wheelset** MAVIC E-Crossride 1 CL MS **Tires** SCHWALBE Magic Mary Performance 62-622/65-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight



SONIC EVO AM TEAM

Limited Edition*

heavy meadow green
846-06941

S: M-XL:

625 Wh / 750 Wh



Model 2023 checked



CARBON



150 mm



150 mm



BOSCH

Drive Unit Bosch Performance Line CX Race Limited Edition 25/85 Nm **Charger** Bosch 4A **Display** Bosch System Controller and Mini-Remote **Frame** carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle **Framesize** S/M/L/XL **Fork** RockShox Lyrik Ultimate RC2, 1.8 Steerer 150 mm **Shock** RockShox Super Deluxe Select+ RT 150 mm **Gearshift** SRAM XX1 Eagle AXS **Gear** derailleur gear | 12-speed **Shifter** SRAM EC AXS Rocker **Crankset** e*thirteen Carbon **Cassette** SRAM XG-1299 12-speed Eagle 10-52T **Brakes** TRP DH-R EVO hydraulic disc brake 220 mm 6-bolt | 203 mm / 6-bolt **Handlebar** BULLS Enduro carbon **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** eightpins Dropper Post **Saddle** Prologo W850 carbon **Wheelset** e*thirteen | TRS Race Carbon **Tires** SCHWALBE Magic Mary EVO, Super Trail, TLE, Addix Soft / Magic Mary Evo Super Gravity, TLE, Soft 62-622 / 62-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVO AM 4

nano light grey
846-06541

S: M-XL:
625 Wh 750 Wh

Rear
27,5
Front
29



150 mm



150 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch System Controller and Mini-Remote **Frame** carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle **Framesize** S/M/L/XL **Fork** RockShox 35 Gold RL, 1.8 Steerer 150 mm **Shock** RockShox Deluxe Select+ RT 150 mm **Gearshift** SHIMANO Deore XT RD-M8100 shadow+ **Gear** derailleur gear | 12-speed **Shifter** SHIMANO Deore XT SL-M8100, rapidfire+, I-spec-EV **Crankset** e*thirteen **Cassette** SHIMANO Deore 12-speed, 10-51T **Brakes** TRP Trail Evo hydraulic disc brake R203-C01 **Handlebar** Sport-SL CCS **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** eightpins Dropper Post **Saddle** Prologo Proxim 400 **Wheelset** MAVIC E-Deemax **Tires** SCHWALBE Magic Mary Evo Super Trail TLE / Big Betty Evo Super Trail TLE Addix Soft 62-622 / 65-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVO AM 3


black matt
846-06141

S: M-XL:

625 Wh / 750 Wh



dark mustard



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch System Controller Bosch Mini Remote
Frame carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle **Framesize** S/M/L/XL **Fork** RockShox 35 Gold RL, 1.8 Steerer
150 mm **Shock** RockShox Deluxe Select+ RL 150 mm **Gearshift** SHIMANO Deore XT RD-M8100 shadow+ **Gear** derailleur gear | 12-speed **Crankset**
e*thirteen 160 mm **Cassette** SHIMANO Deore 12-speed, 10-51T **Brakes** TRP Trail Evo hydraulic disc R203-C01 **Handlebar** Sport-SL CCS **Stem**
MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L 150 mm, XL 150 mm **Saddle** prologo Proxim 400
Wheelset SHIMANO WH-MT620, tubeless ready **Tires** SCHWALBE Magic Mary Evo Super Trail TLE / Big Betty Evo Super Trail TLE Addix Soft
62-622 / 65-584 **Pedal** ZECURE MTB **Front light** MonkeyLink Connect (Lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVO AM 2 ABS

SONIC BOSCH | MOUNTAIN

UD carbon
524900560641

S: M-XL:
625 Wh / 750 Wh

Rear
27,5
Front
29



CARBON



150 mm



150 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 4 A charger **Display** Bosch Mini Remote und System Controller
Frame carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle, telesko **Framesize** S/M/L/XL **Fork** BULLS LYTRO 36 Supreme 1.8 Boost 150 mm **Shock** SR SUNTOUR Edge Plus 2CR 150 mm **Gearshift** SHIMANO Deore RD-M6100 **Gear** derailleur gear | 12-speed **Shifter** SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV **Cassette** SHIMANO Deore, CS-M6100 10-51T **Brakes** TRP Trail EVO ABS 2.3 hydraulic disc brake TRP 220 mm 6-bolt | TRP 203 mm 6-bolt **Handlebar** BULLS riserbar **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1 34,9 mm + SL-MT500-IL, 170 mm **Saddle** Prologo Proxim 400 **Rims** Rodi TRYP30 evo tubeless ready **Tires** SCHWALBE Magic Mary Performance 62-622/65-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight




SONIC EVO AM 2


metallic orange
846-05841

S: M-XL:

625 Wh / 750 Wh



pro blue



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch System Controller and Mini-Remote **Frame** carbon fibre monocoque, 1.8 Steerer ready, internal cable routing thru axle **Framesize** S/M/L/XL **Fork** BULLS LYTRO 35 Supreme Air LOR, 1.8 Steerer, Boost 150 mm **Shock** SR SUNTOUR Edge Plus 2CR 150 mm **Gearshift** SHIMANO Deore RD-M5100 shadow+ **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Deore SL-M5100 with I-Spec EV **Cassette** SHIMANO Deore 11s, 11-51T **Brakes** TRP Slate Evo hydraulic disc brake TR203-45 CL **Handlebar** Sport-SL CCS **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm **Saddle** Prologo Proxim 400 **Rims** Rodi TRYP 30, tubeless ready **Tires** SCHWALBE Magic Mary Performance Super Trail TLE / Big Betty Performance Super Trail TLE Addix Soft 62-622 / 65-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVO AM 1

electric yellow
524900490640

S: M-XXL:


625 Wh 750 Wh

Rear
27,5
Front
29



light grey*

pro blue



dark petrol*

light emerald*



140 mm



150 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 4 A charger **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle **Framesize** S/M/L/XL/XXL **Fork** BULLS LYTRO 34 Air 1.8 Boost 140 mm **Shock** SR SUNTOUR Edge Plus 150 mm **Gearshift** SHIMANO Cues RD-U6000 | *RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO SL-Cues 10 | *SL-M4100-IR **Cassette** SHIMANO LG400-10 11-48T | *CS-M4100-10 11-46T **Brakes** SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm SHIMANO RT-EM300 203 mm CL | *TRP Slate Evo **Handlebar** BULLS riserbar **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1 34,9 mm + SL-MT500-IL, 170 mm **Saddle** Prologo Proxim 400 **Rims** Rodi TRYP30 evo tubeless ready **Tires** SCHWALBE Magic Mary Performance 62-622/65-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight


SONIC EVO TR-1

light emerald

846-04541

S: M-XL:

625 Wh / 750 Wh



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch System Controller and Mini-Remote **Frame** carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** RockShox 35 Gold RL, 1.8 tapered 130 mm **Shock** RockShox Deluxe Select+ RT 120 mm **Gearshift** SRAM GX Eagle AXS **Gear** derailleur gear | 12-speed **Shifter** SRAM GX AXS **Crankset** e*thirteen **Cassette** SRAM XG-1275 12-speed Eagle 10-52T **Brakes** TRP C2.3 hydraulic disc brake TR203-45 CL **Handlebar** BULLS Enduro carbon **Stem** MTB-SLS, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm **Saddle** Prologo Proxim 400 wide **Wheelset** MAVIC Crossmax Carbon XL **Tires** SCHWALBE Nobby Nic Performance, Folding 62-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVO TR 2

SONIC BOSCH / MOUNTAIN

nano grey
846-03741

S: M-XL:
625 Wh / 750 Wh



120 mm



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch System Controller and Mini-Remote **Frame** carbon fibre monocoque front triangle, 1.8 Steerer ready, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** BULLS LYTRO 35 Supreme Air LOR, 1.8 Steerer, Boost 120 mm **Shock** SR SUNTOUR Edge Plus 2CR 120 mm **Gearshift** SHIMANO Deore RD-M5100 shadow+ **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Deore SL-M5100 with I-Spec EV **Cassette** SHIMANO Deore 11s, 11-51T **Brakes** TRP Slate EVO hydraulic disc brake | TR203-45 CL **Handlebar** Sport-SL CCS **Stem** MTBi-Sport, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 34,9 / S 100 mm, M 125 mm, L, XL 150 mm **Saddle** Prologo Proxim 400 wide **Rims** Rodi TRYP 30, tubeless ready **Tires** SCHWALBE Nobby Nic Performance folding 62-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight



SONIC EVA TR 1

blue tinted white
524900280640

S: M-L:
625 Wh / 750 Wh



off white*



deep berry*



120 mm



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 4 A charger **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle **Framesize** S/M/L **Fork** SR SUNTOUR LYTRO 34 LOR Air DS Boost 120 mm **Shock** SR SUNTOUR Edge Plus R 210*50, 120 mm **Gearshift** SHIMANO Cues RD-U6000 | *RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO Cues SL-U6000 | *SL-M4100-IR **Cassette** SHIMANO CS-LG400-10 11-48T | *CS-M4100-10 11-46T **Brakes** SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 203 mm | *TRP Slate Evo **Handlebar** BULLS riserbar **Stem** BULLS MTBi-Sport, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1 34,9 mm + SL-MT500-IL, 150 mm **Saddle** Prologo Proxim 400 wide **Rims** Rodi TRYP30 evo tubeless ready **Tires** SCHWALBE Smart Sam K-Guard 65-622 | *Smart Sam K-Guard 57-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight



SONIC BOSCH | MOUNTAIN

SONIC EVO TR 1

monza grey
524900240641

S: M-XXL:

625 Wh / 750 Wh



pro blue*



light grey*



120 mm



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 4 A charger **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle **Framesize** S/M/L/XL/XXL **Fork** BULLS LYTRO 34 Air 1.8 Boost 120 mm **Shock** SR SUNTOUR Edge Plus R 210*50, 120 mm 120 mm **Gearshift** SHIMANO Cues RD-U6000 | *RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO Cues SL-U6000 | *SL-M4100-IR **Cassette** SHIMANO CS-LG400-10 11-48T | *CS-M4100-10 11-46T **Brakes** SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 203 mm | *TRP Slate Evo **Handlebar** BULLS riserbar **Stem** BULLS MTBi-Sport, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 134,9 mm + SL-MT500-IL, 170 mm **Saddle** Prologo Proxim 400 wide **Rims** Rodi TRYP30 evo tubeless ready **Tires** SCHWALBE Smart Sam K-Guard 65-622 | *Smart Sam K-Guard 57-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVA

blue tinted white

524900160640

S: M-L:

625 Wh / 750 Wh



ice blue*



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 4 A charger **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle **Framesize** S/M/L **Fork** BULLS LYTRO 34 Air 1.8 Boost 120 mm **Gearshift** SHIMANO Cues RD-U6000 | *RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO SL-Cues 10 | *SL-M4100-IR **Cassette** SHIMANO LG400-10 11-48T | *CS-M4100-10 11-46T **Brakes** SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 203 mm | *TRP Slate Evo **Handlebar** BULLS riserbar **Stem** BULLS MTBi-Sport, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1 34,9 mm + SL-MT500-IL, 150 mm **Saddle** Prologo Proxim 400 wide **Rims** Rodi TRYP30 evo tubeless ready **Tires** SCHWALBE Smart Sam K-Guard 65-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

SONIC EVO

dark petrol matt
524900120640

S: M-XL:
625 Wh / 750 Wh



SONIC BOSCH | MOUNTAIN



dark mustard*



black matt*



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 4 A charger **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, 1.8 Steerer ready, internal cable routing, thru axle **Framesize** S/M/L/XL/XXL **Fork** BULLS LYTRO 34 Air 1.8 Boost 120 mm **Gearshift** SHIMANO Cues RD-U6000 | *RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO SL-Cues 10 | *SL-M4100-IR **Cassette** SHIMANO LG400-10 11-48T | *CS-M4100-10 11-46T **Brakes** SHIMANO BR-MT420 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 203 mm | *TRP Slate Evo **Handlebar** BULLS riserbar **Stem** BULLS MTBi-Sport, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 134,9 mm + SL-MT500-IL, 170 mm **Saddle** Prologo Proxim 400 wide **Rims** Rodi TRYP30 evo tubeless ready **Tires** SCHWALBE Smart Sam K-Guard 65-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Twinlight

COPPERHEAD EVO AM 2 ABS

COPPERHEAD BOSCH | MOUNTAIN

polar silver, black matt
524801640541

500 Wh 625 Wh 750 Wh

Rear
27,5
Front
29



150 mm



150 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** BULLS LYTRO 36 Supreme SL Boost 150 mm **Shock** SR SUNTOUR Edge LOR8 Trunnion Mount 150 mm **Gearshift** SHIMANO Cues RD-U6000 **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Cues SL-U6000 **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG400-11 11-50T **Brakes** TRP HD-M844 Trail Evo ABS hydraulic disc brake with ABS | TRP RC02E 203 mm Center Lock | TRP RC02E 203 mm Center Lock **Handlebar** BULLS Sport-SL riserbar **Stem** MTBi, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 30,9 / S 100 mm, M, L 125 mm, XL 150 mm + SL-MT500-IL for I-spec EV **Saddle** SELLE ROYAL Vivo Ergo **Rims** BULLS DDM-30 **Tires** SCHWALBE Nobby Nic Performance 65-622/65-584 **Front light** MonkeyLink Connect (lighting not included)
Rear light MonkeyLink Connect (lighting not included)

COPPERHEAD EVO AM 3

light grey
835-62941

500 Wh / 625 Wh / 750 Wh

Rear
27,5
Front
29



150 mm



150 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** BULLS LYTRO 35 Supreme SL Air LOR, Boost 150 mm **Shock** RockShox Deluxe Select R 150 mm **Gearshift** SHIMANO Deore XT RD-M8100 shadow+ **Gear** derailleur gear | 12-speed **Shifter** SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV **Crankset** e*thirteen 165 mm **Cassette** SHIMANO Deore 12-speed, 10-51T **Brakes** SHIMANO Deore BR-M6120, 4 Piston hydraulic disc brake | 203 mm Center Lock **Handlebar** BULLS Sport-SL double butted riserbar **Stem** MTB-i, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 30,9 / S 100 mm, M, L 125 mm, XL 150 mm **Saddle** SELLE ROYAL Vivo Ergo **Rims** RYDE Disc 30, tubeless ready **Tires** MAXXIS® Minion DHF AM, EN / MAXXIS® Minion DHR2 AM, EN 66-622/66-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

COPPERHEAD EVO AM 2

pro blue matt
835-61741

500 Wh 625 Wh 750 Wh

Rear
27,5
Front
29



light emerald
matt



Model 2023 checked



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** BULLS LYTRO 35 Supreme SL Air LOR, Boost 150 mm **Shock** SR SUNTOUR Edge TR LOR8 150 mm **Gearshift** SHIMANO Deore RD-M5100 shadow+ **Gear** derailleur gear | 11-speed **Crankset** FSA 165 mm **Cassette** SHIMANO Deore 11-speed, 11-51T **Brakes** SHIMANO BR-MT420/410 hydraulic disc 203 mm Center Lock | 203 mm Center Lock **Handlebar** BULLS Sport-SL double butted riserbar **Stem** MTB-i, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 30,9 / S 100 mm, M 125 mm, L 125 mm, XL 150 mm **Saddle** SELLE ROYAL Vivo Ergo **Rims** RYDE Disc 30, tubeless ready **Tires** SCHWALBE Nobby Nic Performance 65-622 / 65-584 **Pedal** BULLS MTB **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

COPPERHEAD EVO AM 1

nano grey
524801610541

500 Wh 625 Wh 750 Wh

Rear
27,5
Front
29

COPPERHEAD BOSCH | MOUNTAIN



metallic orange*



black matt*



french grey
matt



140 mm



150 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 | *Bosch LED Remote BRC3600 **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** BULLS LYTRO 34 Air Boost 140 mm **Shock** SR SUNTOUR Edge LOR8 Trunnion Mount 150 mm **Gearshift** SHIMANO Cues RD-U6000 | *RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO Cues SL-U6000 | *SL-M4100-IR **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG300-10 11-48T | *CS-M4100-10 11-46T **Brakes** SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT30 CL 180 mm | SHIMANO RT-EM300 CL 180 mm **Handlebar** BULLS Sport-SL riser-bar **Stem** BULLS MTB-SL, 3D forged, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 30,9 / S 100 mm, M, L 125 mm, XL 150 mm + SL-MT500-L with clamp **Saddle** BULLS Sportive Ergo **Rims** BULLS DDM-30 | *RYDE Disc 30 **Tires** VEE TIRE CO Crown Gem 66-622/66-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

COPPERHEAD EVO 3

emerald green matt

27,5: 835-57741 | 29: 835-67444

500 Wh 625 Wh 750 Wh



black matt



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** M/L/XL, XXL **Fork** BULLS LYTRO 34 Air LOR, Boost 120 mm **Gearshift** SHIMANO Deore RD-M6100 shadow+ **Gear** derailleur gear | 12-speed **Shifter** 27,5: SHIMANO Deore SL-M6100, rapidfire+, 29: HIMANO Deore SL-M6100, rapidfire+, I-spec-EV **Crankset** FSA 165 mm **Cassette** SHIMANO Deore 12-speed, 10-51T **Brakes** SHIMANO BR-MT420 hydraulic disc brake 203 mm Center Lock | 180 mm Center Lock **Handlebar** BULLS Sport-SL double butted riserbar **Stem** MTB-i, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** SELLE ROYAL Vivo Ergo **Rims** RYDE Disc 30, tubeless ready **Tires** SCHWALBE Wicked Will Performance folding 27,5: 65-584, 29: 65-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

COPPERHEAD EVO 2 ABS

black matt, nano grey
524802400544

500 Wh / 625 Wh / 750 Wh



COPPERHEAD BOSCH | MOUNTAIN



black matt,
nano grey



black matt,
pro blue matt



Model 2024 checked



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond M/L/XL/XXL, Trapeze S/M/L/XL, Wave S/M/L/XL **Fork** SR SUNTOUR XCR 32 Boost LOR Air CTS 120 mm **Gearshift** SHIMANO Cues RD-U6000 **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Cues SL-U6000 **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG400-11 11-50T **Brakes** TEKTRO Volans HD-T533 hydraulic disc brake with ABS TRP RC02E 203 mm Center Lock | TRP RC02E 203 mm Center Lock **Handlebar** STYX Sport-SL **Stem** BULLS MTB-SL, 3D forged, CCS Slot Mount ready **Seatpost** BULLS aluminium 30,9 mm **Saddle** BULLS Sportive Ergo **Rims** BULLS DDM-30 **Tires** VEE TIRE CO Crown Gem 66-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

COPPERHEAD EVO 2

black matt

27,5: 835-52141 | 29: 835-66944

500 Wh 625 Wh 750 Wh



only
Diamond



summit lake
blue



pro blue matt



light grey



world of mtb
Ausgabe 12/2022
Model 2023 checked



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** 27,5: Diamond S/M/L/XL, Wave S/M/L/XL, 29: Diamond M/L/XL/XXL **Fork** SR SUNTOUR XCR 32 Air LOR, Boost 120 mm **Gearshift** SHIMANO Deore RD-M5100 shadow+ **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Deore SL-M5100 **Crankset** FSA 165 mm **Cassette** SHIMANO Deore 11s, 11-51T **Brakes** SHIMANO BR-MT200 hydraulic disc brake 180 mm Center Lock | 180 mm Center Lock **Handlebar** STYX Sport-SL double butted riserbar **Stem** MTB-SL, 3D forged, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** RYDE Disc 30, tubeless ready **Tires** VEE TIRE CO Crown Gem 27,5: 66-584, 29: 66-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

COPPERHEAD EVO 1

liquid cyan

27,5: 524800500541 | 29: 524802380744

500 Wh 625 Wh 750 Wh

27,5 29

COPPERHEAD BOSCH | MOUNTAIN



light emerald
matt*



black matt*



light emerald
matt



black matt



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 | *Bosch Intuvia 100 **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** 27,5: S/M/L/XL, 29: M/L/XL **Fork** SR SUNTOUR XCM 32 LOR Boost 120 mm **Gearshift** SHIMANO Cues RD-U6000 | *RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO Cues SL-U6000 | *SL-M4100-IR **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG300-10 11-48T | *CS-M4100-10 11-46T **Brakes** TEKTRO HD-M280 hydraulic disc brake TEKTRO TR180 6-bolt | TEKTRO TR 180 mm 6-bolt **Handlebar** STYX Sport-SL **Stem** BULLS MTB-S CCS Slot Mount ready **Seatpost** BULLS aluminium 30,9 mm **Saddle** BULLS Sportive Ergo **Rims** BULLS DDM-30 | *RYDE Disc 30 **Tires** SUPERO Edge AntiPuncture 27,5: 66-584, 29: 66-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

AMINGA EVA TR 2

AMINGA BOSCH | MOUNTAIN

deep berry matt
835-63741

500 Wh 625 Wh

27,5



120 mm



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** S/M/L **Fork** BULLS LYTRO 35 Supreme SL Air LOR, Boost 120 mm **Shock** RockShox Deluxe Select R 120 mm **Gearshift** SHIMANO Deore XT RD-M8100 shadow+ **Gear** derailleur gear | 12-speed **Shifter** SHIMANO Deore SL-M6100, rapidfire+, I-spec-EV **Crankset** e*thirteen 165 mm **Cassette** SHIMANO Deore 12-speed, 10-51T **Brakes** SHIMANO BR-MT420 hydraulic disc brake 203 mm Center Lock | 180 mm Center Lock **Handlebar** BULLS Sport-SL double butted riserbar **Stem** MTB-i, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 30,9 / S 75 mm, M 100 mm, L 125 mm, XL 150 mm **Saddle** SELLE ROYAL Vivo Ergo **Rims** RYDE Disc 30, tubeless ready **Tires** SCHWALBE Wicked Will Performance folding 65-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)



AMINGA EVA TR 1

11-SPEED

sage
524801720541

500 Wh / 625 Wh / 750 Wh

27,5



120 mm



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** S/M/L **Fork** BULLS LYTRO 36 Supreme SL Boost 120 mm **Shock** SR SUNTOUR Edge LOR8 Trunnion Mount 120 mm **Gearshift** SHIMANO Cues RD-U6000 **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Cues SL-U6000 **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG400-11 11-50T **Brakes** SHIMANO BR-MT420 / BL-M4100 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 180 mm **Handlebar** BULLS Sport-SL riserbar **Stem** MTBi, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 30,9 / S 75 mm, M 100 mm, L 125 mm, XL 150 mm + SL-MT500-IL for I-spec EV **Saddle** SELLE ROYAL Vivo Ergo **Rims** BULLS DDM-30 **Tires** SCHWALBE Wicked Will Performance 65-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)



AMINGA BOSCH | MOUNTAIN

AMINGA EVA TR 1

12-SPEED

fuchsia purple matt
835-63341

500 Wh / 625 Wh

27,5



sage



120 mm



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** S/M/L **Fork** BULLS LYTRO 35 Supreme SL Air LOR, Boost 120 mm **Shock** SR SUNTOUR Edge TR LOR8 120 mm **Gearshift** SHIMANO Deore RD-M5100 shadow+ **Gear** derailleur gear | 11-speed **Crankset** FSA 165 mm **Cassette** SHIMANO Deore 11-speed, 11-51T **Brakes** SHIMANO BR-MT420/410 hydraulic disc 203 mm Center Lock | 180 mm Center Lock **Handlebar** BULLS Sport-SL double butted riserbar **Stem** MTB-i, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 30,9 / S 75 mm, M 100 mm, L 125 mm **Saddle** SELLE ROYAL Vivo Ergo **Rims** RYDE Disc 30, tubeless ready **Tires** SCHWALBE Wicked Will Performance folding 65-584 **Pedal** BULLS MTB **Front light** MonkeyLink Connect **Rear light** MonkeyLink Connect (Lighting not included)

AMINGA EVA 4

emerald green matt
835-59037

500 Wh 625 Wh 750 Wh



black matt



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** XS/S/M/L **Fork** BULLS LYTRO 34 Air LOR, Boost 120 mm **Gearshift** SHIMANO Deore RD-M6100 shadow+ **Gear** derailleur gear | 12-speed **Crankset** FSA 165 mm **Cassette** SHIMANO Deore 12-speed, 10-51T **Brakes** SHIMANO BR-MT420/410 hydraulic disc 203 mm Center Lock | 180 mm Center Lock **Handlebar** BULLS Sport-SL double butted riserbar **Stem** MTB-i, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** SELLE ROYAL Vivo Ergo **Rims** RYDE Disc 30, tubeless ready **Tires** SCHWALBE Wicked Will Performance folding 65-584 **Pedal** BULLS MTB **Front light** MonkeyLink Connect **Rear light** MonkeyLink Connect (Lighting not included)

AMINGA EVA 3

black matt
835-58537

500 Wh / 625 Wh

27,5

AMINGA BOSCH | MOUNTAIN



sand storm
matt



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** XS/S/M/L **Fork** BULLS LYTRO 34 Air LOR, Boost 120 mm **Gearshift** SHIMANO Deore RD-M6100 shadow+ **Gear** derailleur gear | 12-speed **Shifter** SHIMANO Deore SL-M6100, rapidfire+ **Crankset** FSA 165 mm **Cassette** SHIMANO Deore 12-speed, 10-51T **Brakes** SHIMANO BR-MT420 hydraulic disc brake 203 mm Center Lock | 180 mm Center Lock **Handlebar** BULLS Sport-SL double butted riserbar **Stem** MTB-i, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** SELLE ROYAL Vivo Ergo **Rims** RYDE Disc 30, tubeless ready **Tires** SCHWALBE Wicked Will Performance folding 65-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)


AMINGA EVA 2

deep berry matt
835-53537

500 Wh / 625 Wh

27,5

AMINGA BOSCH | MOUNTAIN



grey matt



white



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond XS/S/M/L, Trapeze XS/S/M/L, Wave XS/S/M/L **Fork** SR SUNTOUR XCR 32 Air LOR, Boost 120 mm **Gearshift** SHIMANO Deore RD-M5100 shadow+ **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Deore SL-M5100 **Crankset** FSA 165 mm **Cassette** SHIMANO Deore 11s, 11-51T **Brakes** SHIMANO BR-MT200 hydraulic disc brake 180 mm Center Lock | 180 mm Center Lock **Handlebar** STYX Sport-SL double butted riserbar **Stem** MTB-SL, 3D forged, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** RYDE Disc 30, tubeless ready **Tires** VEE TIRE Crown Gem 66-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

AMINGA EVA 1


dark petrol matt

524800530537

500 Wh 625 Wh 750 Wh



dark petrol
matt*



fuchsia*



sage*



sage



Model 2023 checked



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 | *Bosch LED Remote BRC3600
Frame 6061 aluminium, hydroforming, internal cable routing **Framesize** XS/S/M/L **Fork** SR SUNTOUR XCM 32 LOR Boost 120 mm **Gearshift**
SHIMANO Cues RD-U6000 | *RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO Cues SL-U6000 | *SL-M4100-IR **Crankset**
FSA 165 mm **Cassette** SHIMANO CS-LG300-10 11-48T | *CS-M4100-10 11-46T **Brakes** TEKTRO HD-M276 hydraulic disc brake TEKTRO TR180 6-bolt |
TEKTRO TR 180 mm 6-bolt **Handlebar** STYX Sport-SL **Stem** BULLS MTB-S CCS Slot Mount ready **Seatpost** BULLS aluminium 30,9 mm **Saddle**
BULLS Sportive Ergo **Rims** BULLS DDM-30 | *RYDE Disc 30 **Tires** SUPERO Edge AntiPuncture 66-584 **Front light** MonkeyLink Connect
(lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

AMINGA CX

nano grey matt
834-50137

545 Wh / 725 Wh

27,5

AMINGA BOSCH | MOUNTAIN



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, internal cable routing **Framesize** XS/S/M/L **Fork** SR SUNTOUR XCM HLO 100 mm **Gearshift** SHIMANO Alivio RD-M3100 shadow **Gear** derailleur gear | 9-speed **Shifter** SHIMANO Acera SL-M3000 **Crankset** FSA 165 mm **Cassette** SHIMANO CS-HG200-9, 11-36T **Brakes** TEKTRO HD-M276 hydraulic disc brake 180 mm 6-bolt | 180 mm 6-bolt **Handlebar** STYX Sport-SL double butted riserbar **Stem** MTB-S, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** DDM-2 **Tires** STYX Ace of Pace 57-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

LT EVO CX

nano grey

27,5: 835-50541 | 29: 835-65744

500 Wh 625 Wh 750 Wh

27,5 29

LT BOSCH | MOUNTAIN



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** 27,5: S/M/L/XL, 29: M/L/XL/XXL **Fork** SR SUNTOUR XCM HLO 100 mm **Gearshift** SHIMANO Acera RD-M3020 **Gear** derailleur gear | 8-speed **Shifter** SHIMANO Altus SL-M315 rapidfire plus **Crankset** FSA 165 mm **Cassette** SHIMANO CS-HG400-8 11-40T **Brakes** TEKTRO HD-M275 hydraulic disc brake 180 mm 6-bolt | 180 mm 6-bolt **Handlebar** STYX Sport-SL double butted riserbar **Stem** MTB-S, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** DDM-2 **Tires** STYX Ace of Pace 27,5: 57-584, 29: 57-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

LT CX

chrome red

27,5: 836-49841 | 29: 836-65444

545 Wh / 725 Wh



grey matt



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, internal cable routing **Framesize** 27,5: S/M/L/XL; 29: M/L/XL/XXL **Fork** SR SUNTOUR XCM HLO 100 mm **Gearshift** SHIMANO Acera RD-M3020 **Gear** derailleur gear / 8-speed **Crankset** FSA 165 mm **Cassette** SHIMANO CS-HG400-8 11-40T **Brakes** TEKTRO HD-M275 hydraulic disc 180 mm 6-bolt | 180 mm 6-bolt **Handlebar** STYX Sport-SL double butted riserbar **Stem** MTB-S, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** DDM-2 **Tires** STYX Ace of Pace 27,5: 57-584; 29: 57-622 **Pedal** BULLS MTB **Front light** MonkeyLink Connect **Rear light** MonkeyLink Connect (Lighting not included)

LT EVA PERFORMANCE

metallic off-white
524-800360537

500 Wh 625 Wh 750 Wh



LT BOSCH | MOUNTAIN



metallic
off-white



Drive Unit Bosch Performance Line (Smart System) 25/75 Nm **Charger** 2 A charger **Display** Bosch LED Remote **Frame** 6061 aluminium, internal cable routing **Framesize** Diamond XS/S/M/L, Trapeze XS/S/M/L **Fork** SR SUNTOUR XCE-28 100 mm **Gearshift** SHIMANO Acera RD-3020 **Gear** derailleur gear | 8-speed **Shifter** SHIMANO Altus SL-M315-8R **Crankset** FSA 165 mm **Cassette** SHIMANO CS-HG400-8 11-40T **Brakes** TEKTRO HD-M276 hydraulic disc brake TEKTRO TR180 6-bolt | TEKTRO TR 180 mm 6-bolt **Handlebar** STYX riserbar **Stem** BULLS MTB-S CCS Slot Mount ready **Seatpost** BULLS aluminium 30,9 mm **Saddle** BULLS Sportive Ergo **Rims** BULLS DDM-22 **Tires** STYX Ace of Pace 57-584 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)



LT EVO PERFORMANCE

rally green

27,5: 524800330541 | 29: 524802170544

500 Wh 625 Wh 750 Wh



29 Zoll:
black matt



Drive Unit Bosch Performance Line (Smart System) 25/75 Nm **Charger** 2 A charger **Display** Bosch LED Remote **Frame** 6061 aluminium, internal cable routing **Framesize** 27,5: S/M/L/XL, 29: M/L/XL/XXL **Fork** SR SUNTOUR XCE-28 100 mm **Gearshift** SHIMANO Acera RD-M3020 **Gear** derailleur gear | 8-speed **Shifter** SHIMANO Altus SL-M315-8R **Crankset** FSA 165 mm **Cassette** SHIMANO CS-HG400-8 11-40T **Brakes** TEKTRO HD-M275 hydraulic disc brake TEKTRO TR180 6-bolt | TEKTRO TR 180 mm 6-bolt **Handlebar** STYX riserbar **Stem** BULLS MTB-S CCS Slot Mount ready **Seatpost** BULLS aluminium 30,9 mm **Saddle** BULLS Sportive Ergo **Rims** BULLS DDM-22 **Tires** STYX Ace of Pace 27,5: 57-584, 29: 57-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)



LT BOSCH | MOUNTAIN

LT PERFORMANCE

light grey

27,5: 836-49441 | 29: 836-65044

545 Wh / 725 Wh

◀ 27,5 ▶

◀ 29 ▶



SID blue



100 mm



BOSCH

Drive Unit Bosch Performance Line (Smart System) 25/75 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, internal cable routing **Framesize** 27,5: S/M/L/XL, 29: M/L/XL/XXL **Fork** SR SUNTOUR XCE-28 100 mm **Gearshift** SHIMANO Acera RD-M3020 **Gear** derailleur gear | 8-speed **Shifter** SHIMANO Altus SL-M315 rapidfire plus **Crankset** FSA 165 mm **Cassette** SHIMANO CS-HG400-8 11-40T **Brakes** TEKTRO HD-M275 hydraulic disc brake 180 mm 6-bolt | 160 6-bolt **Handlebar** STYX Sport-SL double butted riserbar **Stem** MTB-S, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** DDM-2 **Tires** STYX Ace of Pace 27,5: 57-584, 29: 57-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

COPPERHEAD EVO 3 XXL ABS

polar silver, black matt
524802680544

500 Wh 625 Wh 750 Wh



XXL



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** M/L/XL/XXL **Fork** BULLS LYTRO 34 Air Boost 120 mm **Gearshift** SHIMANO Deore XT RD-M8130 **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+, I-spec-EV **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG400 11-50T **Brakes** TEKTRO Volans HD-T533 hydraulic disc brake with ABS TRP RC02E 203 mm Center Lock | TRP RC02E 203 mm Center Lock **Handlebar** ZECURE Sport-SL **Stem** BULLS MTB-SL, 3D forged, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 30,9 / S 75 mm, M 100 mm, L 125 mm, XL, XXL 150 mm + SL-MT500-IL for I-spec EV **Saddle** ZECURE saddle **Rims** BULLS DDM-30 **Tires** SCHWALBE Smart Sam K-Guard 65-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)



COPPERHEAD EVO 2 XXL STREET

sage
524801530541

500 Wh / 625 Wh / 750 Wh

27,5



black matt



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL, Wave S/M/L/XL **Fork** BULLS LYTRO 34 Air Boost 120 mm **Gearshift** SHIMANO Cues RD-U6000 **Gear** derailleur gear | 10-speed **Shifter** SHIMANO Cues SL-U6000 **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG300-10 11-48T **Brakes** SHIMANO BR-MT420 / BL-M4100 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 180 mm **Handlebar** ZECURE Sport-SL **Stem** BULLS MTB-SL, 3D forged, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 1, 30,9 / S 75 mm, M 100 mm, L 125 mm, XL, XXL 150 mm + SL-MT500-IL for I-spec EV **Saddle** ZECURE saddle **Rims** BULLS DDM-30 **Tires** SCHWALBE Smart Sam Performance 57-584 **Front light** FUXON FS-70, 70 Lux **Rear light** RL-Mini Clip



XXL

COPPERHEAD EVO 2 XXL

pro blue matt

27,5: 835-59741 | 29: 835-68144

500 Wh 625 Wh 750 Wh

27,5

29



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** 27,5: S/M/L/XL, 29: M/L/XL/XXL **Fork** BULLS LYTRO 34 Air LOR, Boost 120 mm **Gearshift** SHIMANO Deore RD-M5120 shadow+ **Gear** derailleur gear | 10-speed **Shifter** SHIMANO Deore SL-M4100 with I-Spec EV **Crankset** FSA **Cassette** SHIMANO Deore 10s 11-46T **Brakes** SHIMANO BR-MT420 hydraulic disc brake 203 mm Center Lock | 180 mm Center Lock **Handlebar** ZECURE Sport-SL **Stem** MTB-SL, 3D forged, CCS Slot Mount ready **Seatpost** ZECURE 30,9 mm **Saddle** ZECURE **Rims** RYDE Disc 30, tubeless ready **Tires** SCHWALBE Smart Sam K-Guard 27,5: 65-584, 29: 65-622 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

ICONIC EVO 3 ABS

light grey, nano grey
524801280541

500 Wh 625 Wh 750 Wh

27,5

ICONIC BOSCH | SUV



light grey,
nano grey



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL/XXL, Wave S/M/L/XL **Fork** BULLS LYTRO 34 Air Boost 120 mm **Gearshift** SHIMANO Deore XT RD-M8130 **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+, I-spec-EV **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG400-11 11-50T **Brakes** TEKTRO Volans HD-T533 hydraulic disc brake with ABS TRP RC02E 203 mm Center Lock | TRP RC02E 203 mm Center Lock **Handlebar** ZECURE Sport-SL **Stem** BULLS SUVi, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm) **Saddle** BULLS Iconic SUV **Rims** BULLS DDM-30 **Tires** SCHWALBE Smart Sam Performance 57-584 **Fenders** aluminium mudguard **Front light** FUXON FS-70 EB, 70 Lux LED with sensor and daylight **Rear light** FUXON R-Glow S EB, with COB technology **Carrier** MonkeyLoad Basic



ICONIC EVO TR 1

black matt, metallic aventurine
524801890541

500 Wh 625 Wh 750 Wh

27,5



indigo,
indigo matt



light emerald*



black chrome,
black matt*



Model 2023 checked



120 mm



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 | *BOSCH Intuvia 100 **Frame** 6061 aluminium, hydroforming, internal cable routing, thru axle **Framesize** S/M/L/XL **Fork** BULLS LYTRO 34 Air Boost 120 mm **Shock** SR SUNTOUR Edge LOR8 Trunnion Mount 120 mm **Gearshift** SHIMANO Cues RD-U6000 | *SHIMANO Deore RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO Cues SL-U6000 | *SHIMANO Deore SL-M4100-IR **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG300-10 11-48T | *SHIMANO CS-M4100-10 11-46T **Brakes** SHIMANO BR-MT420 / BL-M4100 hydraulic disc brake SHIMANO SM-RT30 CL 203 mm | SHIMANO RT-EM300 CL 180 mm **Handlebar** ZECURE Sport-SL **Stem** BULLS SUVi, CCS Slot Mount ready **Seatpost** LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm) **Saddle** BULLS Iconic SUV **Rims** BULLS DDM-30 | *RYDE Disc 30 **Tires** SUPERO All Ground Anti-Puncture 62-584 **Fenders** aluminium mudguard **Front light** FUXON FF-100 EB, 100 Lux LED with sensor and daylight **Rear light** FUXON R-Glow S EB, with COB technology **Carrier** MonkeyLoad Basic



ICONIC EVO 3

indigo blue matt, light grey matt
835-57041

500 Wh 625 Wh 750 Wh

27,5



indigo blue
matt, light grey
matt



120 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch Intuvia 100 Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL/XXL, Wave S/M/L/XL **Fork** BULLS LYTRO 34 Air LOR, Boost 120 mm **Gearshift** SHIMANO Deore XT LinkGlide RD-M8130 shadow+ **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+, I-spec-EV **Crankset** FSA **Cassette** SHIMANO Deore Linkglide 11-speed, 11-50T **Brakes** SHIMANO BR-MT420 hydraulic disc brake 203 mm Center Lock | 180 mm Center Lock **Handlebar** ZECURE Sport-SL **Stem** SUVi, CCS Slot Mount Ready **Seatpost** LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm) **Saddle** Iconic SUV **Rims** RYDE Disc 30, tubeless ready **Tires** SCHWALBE Smart Sam K-Guard 57-584 **Fenders** aluminium mudguard **Front light** FUXON FS-70 EB, 70 Lux LED with sensor and daylight **Rear light** FUXON R-Glow S EB, with COB technology **Carrier** MonkeyLoad Basic

ICONIC EVO 2

sunbeam yellow, black matt
835-56641

500 Wh 625 Wh 750 Wh

27,5



black,
black matt



100 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL/XXL, Wave S/M/L/XL **Fork** SR SUNTOUR XCM32-ATB DS NLO Coil 100 mm **Gearshift** SHIMANO Cues RD-U6000 **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Cues SL-U6000 **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG400-11 11-50T **Brakes** SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT30 CL 180 mm | SHIMANO RT-EM300 CL 180 mm **Handlebar** STYX Sport-SL riserbar **Stem** Ahead stem adjustable **Seatpost** LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm) **Saddle** BULLS Iconic SUV **Rims** BULLS DDM-30 **Tires** SUPERO All Ground Anti-Puncture 62-584 **Fenders** aluminium mudguard **Front light** FUXON FS-70 EB, 70 Lux LED with sensor and daylight **Rear light** FUXON R-Glow S EB, with COB technology **Carrier** MonkeyLoad Basic

ICONIC EVO BELT

ICONIC BOSCH | SUV

glass cristal drill brown, black matt
835-55341

500 Wh 625 Wh 750 Wh

27,5



glass cristal
drill brown,
black matt



100mm

BELT DRIVE



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch Intuvia 100 Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL/XXL, Wave S/M/L/XL **Fork** SR SUNTOUR NVX-30 100 mm **Gearshift** SHIMANO Nexus **Gear** hub gear | 5-speed **Shifter** SHIMANO Nexus SL-C7000 Revoshift **Crankset** FSA **Brakes** SHIMANO BR-MT200 hydraulic disc brake 180 mm Center Lock | 180 mm Center Lock **Handlebar** STYX Sport-SL double butted riserbar **Stem** Ahead stem adjustable **Seatpost** LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm) **Saddle** Iconic SUV **Rims** RYDE Disc 30, tubeless ready **Tires** SUPERO All Ground Anti-Puncture 62-584 **Fenders** aluminium mudguard **Front light** FUXON FS-50 EB, 50 Lux LED **Rear light** FUXON R-Glow S EB, with COB technology **Carrier** MonkeyLoad Basic


ICONIC EVO 1

metallic taupe
524801000541

500 Wh 625 Wh 750 Wh



summit lake
blue matt,
summit lake blue*



metallic taupe



100 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** 2 A charger **Display** Bosch Purion 200 | *Bosch Intuvia 100 **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL/XXL, Wave S/M/L/XL **Fork** SR SUNTOUR NVX30-30 DS NLO Coil 100 mm **Gearshift** SHIMANO Cues RD-U6000 | *SHIMANO Deore RD-M5120-SGS **Gear** derailleur gear | 10-speed **Shifter** SHIMANO Cues SL-U6000 | *SHIMANO Deore SL-M4100-IR **Crankset** FSA 165 mm **Cassette** SHIMANO CS-LG300-10 11-48T | *SHIMANO CS-M4100-10 11-46T **Brakes** SHIMANO BR-MT200 hydraulic disc brake SHIMANO SM-RT30 CL 180 mm | SHIMANO RT-EM300 CL 180 mm **Handlebar** STYX Sport-SL riserbar **Stem** Ahead stem adjustable **Seatpost** LIMOTEC Alpha 3 suspension (40 mm) Dropper Post (S 40 mm, M, L 80 mm, XL, XXL 100 mm) **Saddle** BULLS Iconic SUV **Rims** BULLS DDM-30 | *RYDE Disc 30 **Tires** SUPERO All Ground Anti-Puncture 62-584 **Fenders** aluminium mudguard **Front light** FUXON FS-50 EB, 50 Lux LED with sensor and daylight **Rear light** FUXON R-Glow S EB, with COB technology **Carrier** MonkeyLoad Basic

ALLGROUND EVO

steel blue matt
835-69345

500 Wh 625 Wh 750 Wh



ALLGROUND/LT BOSCH | SUV



hyper red



steel blue matt



100 mm



BOSCH

Drive Unit Bosch Performance Line (Smart System) 25/75 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L **Fork** SR SUNTOUR NVX-30 100 mm **Gearshift** SHIMANO Alivio RD-M3100 shadow **Gear** derailleur gear | 9-speed **Shifter** SHIMANO Alivio SL-M3100 **Crankset** FSA **Cassette** SHIMANO CS-HG200-9, 11-36T **Brakes** TEKTRO HD-M280 hydraulic disc brake 180 mm 6-bolt | 180 mm 6-bolt **Handlebar** STYX Sport-SL double butted riserbar **Stem** Ahead stem adjustable **Seatpost** BULLS aluminium **Saddle** Iconic SUV **Rims** DDM-2 **Tires** SCHWALBE Smart Sam Performance 57-622 **Fenders** SKS PET A65 **Front light** FUXON FS-50 EB, 50 Lux LED **Rear light** FUXON R-60 Clip, LED **Carrier** MonkeyLoad Basic

LT EVO PERFORMANCE SUV

metallic aventurine matt
524802200541

500 Wh 625 Wh 750 Wh



ALLGROUND/LT BOSCH | SUV



metallic
aventurine matt metallic
aventurine matt



100 mm



BOSCH

Drive Unit Bosch Performance Line (Smart System) 25/75 Nm **Charger** 2 A charger **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL/XXL, Trapeze S/M/L/XL, Wave S/M/L/XL **Fork** SR SUNTOUR NVX30-30 DS NLO Coil 100 mm **Gearshift** SHIMANO Acera RD-M3020 **Gear** derailleur gear | 8-speed **Shifter** SHIMANO Altus SL-M315-8R **Crankset** FSA 165 mm **Cassette** SHIMANO CS-HG400-8 11-40T **Brakes** TEKTRO HD-M275 hydraulic disc brake TEKTRO TR 180 mm 6-bolt | TEKTRO TR 180 mm 6-bolt **Handlebar** BULLS Sport-S riserbar **Stem** Ahead stem **Seatpost** BULLS aluminium 30,9 mm **Saddle** BULLS Iconic SUV **Rims** BULLS DDM-22 **Tires** SCHWALBE Smart Sam K-Guard 57-622 **Fenders** aluminium mudguard **Front light** FUXON FS-30 EB, 30 Lux LED with sensor and daylight **Rear light** FUXON R-60, LED **Carrier** MonkeyLoad Basic


CROSS LITE EVO 3

nano grey
835-77345

500 Wh 625 Wh 750 Wh



CROSS BOSCH | TREKKING



nano grey



nano grey



100 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch Intuvia 100 Bosch System Controller and Mini-Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L **Fork** SR SUNTOUR Mobie-25 Air LOR 100 mm **Gearshift** SHIMANO Deore XT RD-M8100 shadow+ **Gear** derailleur gear | 12-speed **Shifter** SHIMANO SLX SL-M7100, rapidfire+ **Crankset** FSA **Cassette** SHIMANO SLX 12-speed 10-51T **Brakes** SHIMANO BR-MT420 hydraulic disc brake 180 mm Center Lock | 180 mm Center Lock **Handlebar** ZECURE Sport-SL **Stem** SUVi, CCS **Seatpost** BULLS aluminium **Saddle** ZECURE Comfort Men / Comfort Women / Comfort Plus **Rims** XC-21 Evo, tubeless ready **Tires** SCHWALBE Marathon Almotion Performance RaceGuard 55-622 **Fenders** SKS PET A65 **Front light** FUXON FF-100 EB, 100 Lux LED **Rear light** FUXON R-Glow S EB, with COB technology **Carrier** MonkeyLoad Basic



CROSS LITE EVO 2

black matt
835-76545

500 Wh 625 Wh 750 Wh



black matt



black matt



100 mm



BOSCH

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch Intuvia 100 Bosch System Controller and Mini-Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L **Fork** SR SUNTOUR Mobie-25 Air LOR 100 mm **Gearshift** SHIMANO Deore XT RD-M8130 LINKGLIDE **Gear** derailleur gear | 11-speed **Shifter** SHIMANO XT SL-M8130-R, rapidfire+ **Crankset** FSA **Cassette** SHIMANO XT LINKGLIDE 11-speed 11-50T **Brakes** SHIMANO BR-MT200 hydraulic disc brake 180 mm Center Lock | 180 mm Center Lock **Handlebar** ZECURE Sport-SL **Stem** SUV-S, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** ZECURE Comfort Men / Comfort Women / Comfort Plus **Rims** XC-21 Evo, tubeless ready **Tires** SCHWALBE Marathon Almotion Perf RaceGuard 55-622 **Fenders** SKS PET A65 **Front light** FUXON FF-100 EB, 100 Lux LED **Rear light** FUXON R-Glow S EB, with COB technology **Carrier** MonkeyLoad Basic

CROSS LITE EVO 1

quantum silver
835-74945

500 Wh 625 Wh 750 Wh



light grey



light grey



75 mm

**BOSCH**

Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch Intuvia 100 Bosch System Controller and Mini-Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L **Fork** SR SUNTOUR NCX-32-D LO 75 mm **Gearshift** SHIMANO Alivio RD-M3100 shadow **Gear** derailleur gear | 9-speed **Shifter** SHIMANO Alivio SL-M3100 **Crankset** FSA **Cassette** SHIMANO CS-HG200-9, 11-36T **Brakes** TEKTRO HD-T280 hydraulic disc brake 180 mm 6-bolt | 180 mm 6-bolt **Handlebar** MTB riserbar **Stem** SUV-S, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** Selle Royal Essenza Plus **Rims** DDM-2 **Tires** SUPERO Optima Safe Anti-Puncture 55-622 **Fenders** SKS PET A65 **Front light** FUXON FS-50 EB, 50 Lux LED **Rear light** FUXON RZ100, with COB technology **Carrier** MonkeyLoad Basic

CROSS RIDER EVO 2

metallic orange, chrome red

835-74545

500 Wh 625 Wh 750 Wh



black matt,
grey matt



metallic orange,
chrome red



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch KIOX 300 Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L **Fork** SR SUNTOUR XCR 32 Air LOR, Boost 100 mm **Gearshift** SHIMANO Deore XT LinkGlide RD-M8130 shadow+ **Gear** derailleur gear | 11-speed **Shifter** SHIMANO Deore XT LinkGlide SL-M8130, rapidfire+ **Crankset** FSA **Cassette** SHIMANO Deore Linkglide 11-speed, 11-50T **Brakes** SHIMANO BR-MT200 hydraulic disc brake 180 mm Center Lock | 180 mm Center Lock **Handlebar** ZECURE Sport-SL **Stem** SUVi, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** DDM-2 **Tires** SCHWALBE G-One Allround Performance 57-622 **Fenders** SKS Velo MTB **Front light** FUXON FS-70 EB, 70 Lux LED with sensor and daylight **Rear light** FUXON RL-Mini Clip

CROSS RIDER EVO 1

black, black matt
835-73045

500 Wh 625 Wh 750 Wh



CROSS BOSCH | TREKKING



light grey,
duro orange



dark petrol matt,
grey matt



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch Intuvia 100 Bosch LED Remote
Frame 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL, Trapeze S/M/L **Fork** SR SUNTOUR XCM 32-ATB
NLO 100 mm **Gearshift** SHIMANO Deore RD-M5120 shadow+ **Gear** derailleur gear | 10-speed **Cassette** SHIMANO Deore 10-speed, 11-42T
Brakes SHIMANO BR-MT200 180 mm Center Lock | 180 mm Center Lock **Handlebar** ZECURE Sport-SL **Stem** MTB-SL, 3D forged, CCS Slot
Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** DDM-2 **Tires** SCHWALBE G-One Allround Evo Super Ground 57-622
Front light FUXON FS-50 EB, 50 Lux LED **Rear light** FUXON RL-Mini Clip

CROSS FLYER EVO 2

light emerald-matt

835-72145

500 Wh 625 Wh 750 Wh



light emerald-matt



nano grey



Drive Unit Bosch Performance Line CX (Smart System) 25/85 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L **Fork** SR SUNTOUR NVX-30 100 mm **Gearshift** SHIMANO Alivio RD-M3100 shadow **Gear** derailleur gear | 9-speed **Shifter** SHIMANO Alivio SL-M3100 **Crankset** FSA **Cassette** SHIMANO CS-HG200-9, 11-36T **Brakes** TEKRO HD-M280 hydraulic disc brake 180 mm 6-bolt | 180 mm 6-bolt **Handlebar** STYX Sport-SL double butted riserbar **Stem** MTB-S, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** DDM-2 **Tires** SCHWALBE Smart Sam K-Guard 57-622 **Fenders** SKS Velo MTB **Front light** FUXON FS-50 EB, 50 Lux LED **Rear light** FUXON R-60 Clip, LED **Carrier** MonkeyLoad Basic

CROSS FLYER EVO 1

indigo blue
835-71445

500 Wh 625 Wh 750 Wh



CROSS BOSCH | TREKKING



indigo blue



black matt



100 mm




BOSCH

Drive Unit Bosch Performance Line (Smart System) 25/75 Nm **Charger** Bosch 4A **Display** Bosch LED Remote **Frame** 6061 aluminium, hydroforming, internal cable routing **Framesize** Diamond S/M/L/XL, Trapeze S/M/L, Wave S/M/L **Fork** SR SUNTOUR NVX-30 100 mm **Gearshift** SHIMANO Acera RD-M3020 **Gear** derailleur gear | 8-speed **Shifter** SHIMANO Altus SL-M315 rapidfire plus **Crankset** FSA **Cassette** SHIMANO CS-HG400-8 11-40T **Brakes** TEKTRO HD-M280 hydraulic disc brake 180 mm 6-bolt | 160 mm 6-bolt **Handlebar** STYX Sport-SL double butted riserbar **Stem** MTB-S, CCS Slot Mount ready **Seatpost** BULLS aluminium **Saddle** BULLS Sportive Ergo **Rims** DDM-2 **Tires** SCHWALBE Smart Sam K-Guard 57-622 **Fenders** SKS Velo MTB **Front light** FUXON FS-30 EB, 30 Lux LED **Rear light** FUXON R-60 Clip, LED **Carrier** MonkeyLoad Basic

TWENTY6 EVO

red
834-48632

400 Wh / 500 Wh



grey matt



Drive Unit Bosch Active Line Plus 25/50 Nm **Charger** 2 A charger **Display** Bosch Purion **Frame** 6061 aluminium, hydroforming, internal cable routing **Rider height** 135–165 cm **Fork** SR SUNTOUR XCM30-DS 26 100 mm **Gearshift** SHIMANO Cues RD-U4000 **Gear** derailleur gear | 9-speed **Shifter** SHIMANO Cues SL-U4000 **Crankset** FSA 155 mm **Cassette** SHIMANO CS LG300-9 11-41T **Brakes** TEKTRO HD-M282 hydraulic disc brake TEKTRO TR180 6-bolt | TEKTRO TR 180 mm 6-bolt **Handlebar** BULLS riserbar **Stem** BULLS MTB-S CCS Slot Mount ready **Seatpost** BULLS aluminium 30,9 mm **Saddle** SELLE ROYAL Kids **Rims** BULLS DDM-22 **Tires** VEE TIRE CO Crown Gem 57-559 **Front light** MonkeyLink Connect (lighting not included) **Rear light** MonkeyLink Connect (lighting not included)

TWENTY4 E

rally green-matt
524800000432

400 Wh / 545 Wh



TWENTY BOSCH | JUNIOR



grey



red



blackberry
red-matt




100 mm



BOSCH

Drive Unit Bosch Active Line 25/40 Nm **Charger** 2 A charger **Display** Bosch Purion **Frame** 6061 aluminium, internal cable routing **Rider height** 120–145 cm **Fork** SR SUNTOUR XCT-JR L 24 80 mm **Gearshift** SHIMANO Acera RD-M3020 **Gear** derailleur gear | 8-speed **Shifter** SHIMANO Altus SL-M315-8R **Crankset** FSA 155 mm **Cassette** SHIMANO CS-HG400-8 11-40T **Brakes** TEKTRO HD-J285 hydraulic disc brake TEKTRO TR160-24 6-bolt | TEKTRO TR160-24 6-bolt **Handlebar** BULLS riserbar **Stem** BULLS MTB-S CCS Slot Mount ready **Seatpost** STYX aluminium 30,9 mm **Saddle** SELLE ROYAL Kids **Rims** BULLS DDM-22 **Tires** VEE TIRE CO Crown Gem 57-507 **Front light** FUXON FS-30 EB, 30 Lux LED with sensor and daylight **Rear light** FUXON ML-009 EB, LED with stand light function

GEOMETRIES



Weitere Informationen zu den Geometrien findest Du hier.
Here you will find further informations on Geometries.

VUCA EVO AM 2

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	610	620	640	660
Steuerrohr	105	105	120	140
Radstand	1217	1227	1250	1273
Kettenstrebe	455	455	455	455
Sitzwinkel	75	75	75	75
Lenkwinkel	66	66	66	66
Tretlageroffset	30	30	30	30
Stack	626	626	640	658
Reach	442	452	472	484

E-Stream EVO AM 6

Rahmengröße	XS	S	M	L
Sitzrohrlänge	410	440	480	540
Oberrohr	610	620	640	660
Steuerrohr	105	105	120	140
Radstand	1210	1222	1243	1265
Kettenstrebe	455	456	456	455
Sitzwinkel	75	75	75	75
Lenkwinkel	66	66	66	66
Tretlageroffset	30	30	30	30
Stack	619	621	634	651
Reach	444	454	468	486

SONIC EVO AM SX-I

Rahmengröße	S	M	L	XL
Sitzrohrlänge	400	440	470	510
Oberrohr	580	620	640	663
Steuerrohr	100	110	130	140
Radstand	1184	1218	1246	1270
Kettenstrebe	450	450	450	450
Sitzwinkel	75	75	75	75
Lenkwinkel	65,5	65,5	65,5	65,5
Tretlageroffset	37,5	37,5	37,5	37,5
Stack	624	633	650	669
Reach	420	450	470	490

SONIC EVO AM SL 1

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	470	510
Oberrohr	592	613	635	657
Steuerrohr	120	120	130	140
Radstand	1194	1214	1238	1262
Kettenstrebe	450	450	450	450
Sitzwinkel	75,5	75,5	75,5	75,5
Lenkwinkel	66	66	66	66
Tretlageroffset	30	30	30	30
Stack	628	628	637	646
Reach	430	450	470	490

SONIC EVO AM 3 ABS

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	470	510
Oberrohr	586	616	634	658
Steuerrohr	110	110	120	130
Radstand	1193	1218	1238	1269
Kettenstrebe	450	450	450	450
Sitzwinkel	75	75	75	75
Lenkwinkel	65,5	65,5	65,5	65,5
Tretlageroffset	15	15	15	15
Stack	632	632	630	640
Reach	420	450	470	490

Copperhead EVO AM 2 ABS

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	630	630	640	665
Steuerrohr	125	125	130	140
Radstand	1238	1238	1244	1269
Kettenstrebe	445	445	445	445
Sitzwinkel	75	75	74,5	74,5
Lenkwinkel	66	66	66	66
Tretlageroffset	5	5	5	5
Stack	619	619	624	633
Reach	464	464	467	489

Aminga EVA TR 2

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	605	615	640	665
Steuerrohr	125	125	130	140
Radstand	1178	1177	1203	1230
Kettenstrebe	445	445	445	445
Sitzwinkel	74,5	74	74	74
Lenkwinkel	67	67,5	67,5	67,5
Tretlageroffset	25	25	25	25
Stack	612	614	619	628
Reach	435	439	463	485

LT EVO CX 27,5

Rahmengröße	S	M	L	XL
Sitzrohrlänge	410	440	480	540
Oberrohr	620	630	640	665
Steuerrohr	130	130	130	140
Radstand	1185	1195	1194	1201
Kettenstrebe	440	440	440	440
Sitzwinkel	74,5	74,5	74	73,5
Lenkwinkel	66	66	66,5	67,5
Tretlageroffset	60	60	60	60
Stack	630	630	633	638
Reach	445	455	458	476

LT EVO CX 29

Rahmengröße	S	M	L	XL	XXL
Sitzrohrlänge	410	440	480	540	600
Oberrohr	615	625	635	660	685
Steuerrohr	150	150	150	175	175
Radstand	1171	1175	1185	1213	1238
Kettenstrebe	450	450	450	450	450
Sitzwinkel	74	73,5	73,5	73,5	73,5
Lenkwinkel	67,5	67,5	67,5	67,5	67,5
Tretlageroffset	55	55	55	55	55
Stack	652	652	652	675	675
Reach	428	432	442	460	485

Copperhead EVO 3 XXL ABS

Rahmengröße	Gent					Wave				
	S	M	L	XL	XXL	S	M	L	XL	
Sitzrohrlänge	410	440	480	540	600	410	440	480	540	
Oberrohr	615	620	635	660	685	615	620	635	660	
Steuerrohr	125	125	130	140	180	160	160	160	180	
Radstand	1195	1194	1209	1236	1267	1194	1191	1208	1235	
Kettenstrebe	455	455	455	455	455	460	460	460	460	
Sitzwinkel	74,5	74	74	74	74	74,5	74	74	74	
Lenkwinkel	66	66	66	66	66	67	67	67	67	
Tretlageroffset	65	65	65	65	65	65	65	65	65	
Stack	643	643	647	657	693	691	691	691	710	
Reach	437	437	449	472	486	423	422	437	456	
Durchstiegshöhe	-	-	-	-	-	433	433	433	433	

VUCA EVO FSX 1
VUCA EVO SPEED FSX1

Rahmengröße	Gent					Wave			
	S	M	L	XL		S	M	L	XL
Sitzrohrlänge	410	440	480	540		410	440	480	540
Oberrohr	610	610	635	660		610	610	635	660
Steuerrohr	105	120	130	140		160	160	160	180
Radstand	1204	1206	1233	1259		1212	1212	1237	1265
Kettenstrebe	470	470	470	470		470	470	470	470
Sitzwinkel	75	75	75	75		75	75	75	75
Lenkwinkel	67,5	67,5	67,5	67,5		67,5	67,5	67,5	67,5
Tretlageroffset	25	25	25	25		25	25	25	25
Stack	601	615	624	634		652	652	652	670
Reach	449	445	468	490		435	435	460	480
Durchstiegshöhe	-	-	-	-		457	457	457	457

Iconic Evo 3 ABS

Rahmengröße	Gent					Wave			
	S	M	L	XL	XXL	S	M	L	XL
Sitzrohrlänge	410	440	480	540	600	410	440	480	540
Oberrohr	615	620	635	660	685	615	620	635	660
Steuerrohr	125	125	130	140	180	160	160	160	180
Radstand	1181	1186	1196	1223	1254	1185	1190	1198	1226
Kettenstrebe	440	440	440	440	440	450	450	450	450
Sitzwinkel	74,5	74,5	74	74	74	74,5	74,5	74	74
Lenkwinkel	66	66	66	66	66	67	67	67	67
Tretlageroffset	60	60	60	60	60	60	60	60	60
Stack	638	638	642	652	688	675	675	675	694
Reach	438	443	451	473	488	428	433	441	461
Durchstiegshöhe	-	-	-	-	-	436	436	436	436

Allground Evo

Rahmengröße	Gent				Trapez		
	S	M	L	XL	S	M	L
Sitzrohrlänge	450	500	550	600	450	500	550
Oberrohr	625	630	640	650	625	630	640
Steuerrohr	140	140	160	180	140	140	160
Radstand	1200	1205	1217	1228	1200	1205	1217
Kettenstrebe	490	490	490	490	490	490	490
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5
Lenkwinkel	68,5	68,5	68,5	68,5	68,5	68,5	68,5
Tretlageroffset	65	65	65	65	65	65	65
Stack	669	669	687	706	669	669	687
Reach	427	432	436	441	427	432	436
Durchstiegshöhe	-	-	-	-	438	438	438

Sturmvogel Evo 5F Belt

Rahmengröße	Gent				Wave		
	S	M	L	XL	S	M	L
Sitzrohrlänge	410	440	480	540	410	440	480
Oberrohr	590	610	635	660	590	610	635
Steuerrohr	120	140	140	160	140	160	180
Radstand	1134	1156	1181	1208	1130	1152	1179
Kettenstrebe	465	465	465	465	465	465	465
Sitzwinkel	73	73	73	73	72,5	72,5	72,5
Lenkwinkel	68	68	68	68	68	68	68
Tretlageroffset	60	60	60	60	60	60	60
Stack	599	618	618	637	618	637	655
Reach	407	421	446	465	395	409	428
Durchstiegshöhe	-	-	-	-	453	453	453

Urban EVO 3

Rahmengröße	Gent				Trapez			
	S	M	L	XL	S	M	L	XL
Sitzrohrlänge	450	470	510	550	450	470	510	540
Oberrohr	570	585	600	615	560	575	590	660
Steuerrohr	135	150	180	210	130	150	170	180
Radstand	1070	1086	1102	1118	1059	1075	1090	1226
Kettenstrebe	460	460	460	460	460	460	460	455
Sitzwinkel	73	73	73	73	73	73	73	74
Lenkwinkel	71	71	71	71	71	71	71	67,5
Tretlageroffset	70	70	70	70	70	70	70	55
Stack	575	590	618	646	571	590	608	701
Reach	394	405	411	417	386	395	404	459
Durchstiegshöhe	-	-	-	-	438	438	438	438

Cross Lite EVO 3

Grinder EVO

Rahmengröße	S	M	L	XL
Sitzrohrlänge	450	470	510	550
Oberrohr	546	570	587	610
Steuerrohr	135	160	189	213
Radstand	1032	1057	1076	1100
Kettenstrebe	435	435	435	435
Sitzwinkel	74	74	74	74
Lenkwinkel	71	71	71	71
Tretlageroffset	70	70	70	70
Stack	575	599	626	649
Reach	381	398	407	424

Rahmengröße	Gent				Trapez			Wave		
	S	M	L	XL	S	M	L	S	M	L
Sitzrohrlänge	450	500	550	600	450	500	550	450	500	550
Oberrohr	625	630	640	650	625	630	640	625	630	640
Steuerrohr	140	160	180	200	140	160	180	180	180	200
Radstand	1173	1174	1185	1197	1173	1174	1185	1186	1186	1197
Kettenstrebe	460	460	460	460	460	460	460	470	470	470
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5	73	73	73
Lenkwinkel	68	68,5	68,5	68,5	68	68,5	68,5	67,5	68	68
Tretlageroffset	65	65	65	65	65	65	65	65	65	65
Stack	660	682	700	719	660	682	700	695	698	716
Reach	429	428	433	437	429	428	433	413	417	421
Durchstiegshöhe	-	-	-	-	-	-	-	441	441	441

Lacuba EVO 11 SUV

Rahmengröße	Gent			Trapez			Wave		
	S	M	L	S	M	L	S	M	L
Sitzrohrlänge	450	500	550	450	500	550	450	500	550
Oberrohr	610	610	630	610	610	620	610	620	630
Steuerrohr	140	140	160	140	160	180	160	160	180
Radstand	1158	1158	1180	1158	1160	1172	1148	1157	1169
Kettenstrebe	465	465	465	465	465	465	465	465	465
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	72,5	72,5	72,5
Lenkwinkel	68	68	68	68	68	68	68	68	68
Tretlageroffset	65	65	65	65	65	65	65	65	65
Stack	638	638	657	638	657	675	657	657	675
Reach	421	421	436	421	416	420	403	413	417
Durchstiegshöhe	-	-	-	-	-	-	450	450	450

Streetliner Evo

Rahmengröße	S	M	L	XL
Sitzrohrlänge	450	500	550	600
Oberrohr	600	610	620	630
Steuerrohr	140	160	180	200
Radstand	1107	1122	1133	1144
Kettenstrebe	460	460	460	460
Sitzwinkel	73	73	73	73
Lenkwinkel	70	70	70	70
Tretlageroffset	70	70	70	70
Stack	638	657	675	694
Reach	405	409	413	418

Tourer Evo 11 Speed

Rahmengröße	Gent				Trapez			Wave		
	S	M	L	XL	S	M	L	S	M	L
Sitzrohrlänge	450	500	550	600	450	500	550	450	500	550
Oberrohr	610	610	620	630	610	610	620	610	620	630
Steuerrohr	140	160	180	200	140	160	180	180	180	200
Radstand	1162	1165	1177	1188	1162	1165	1177	1154	1164	1178
Kettenstrebe	470	470	470	470	470	470	470	470	470	470
Sitzwinkel	73,5	73,5	73,5	73,5	73,5	73,5	73,5	72,5	72,5	72,5
Lenkwinkel	68	68	68	68	68	68	68	68	68	68
Tretlageroffset	65	65	65	65	65	65	65	65	65	65
Stack	638	657	675	694	638	657	675	675	675	694
Reach	421	416	420	425	421	416	420	397	407	411

Tokee Disc EVO 26

Rahmengröße	S
Sitzrohrlänge	320
Oberrohr	540
Steuerrohr	100
Radstand	1032
Kettenstrebe	420
Sitzwinkel	73
Lenkwinkel	68
Tretlageroffset	50
Stack	536
Reach	376



PERMISSIBLE TOTAL WEIGHT

Zulässiges Gesamtgewicht

Das zulässige Gesamtgewicht setzt sich aus dem Gewicht des Fahrers, der Zuladung (Gepäck, Kindersitze, etc.) und des Fahrrads zusammen. Es wird sowohl in der Betriebsanleitung als auch auf dem Typenschild angegeben. Das zulässige Gesamtgewicht ist ein wichtiges Merkmal des Fahrrads und muss neben der Fahrradkategorie, der Ausstattung, der Rahmenform und der Rahmenhöhe zu Ihnen als Fahrer passen.

Bitte achten Sie bei ihrer Kaufentscheidung darauf, dass Sie das zulässige Gesamtgewicht bei der Nutzung nicht überschreiten. Allerdings führt ein zu großzügig gewähltes zulässiges Gesamtgewicht zu keinem weiteren Vorteil. Vergleichbar mit der Rahmengröße muss das zulässige Gesamtgewicht auf Ihre individuellen Bedürfnisse ausgerichtet sein.

Permissible total weight

The permissible gross weight consists of the weight of the rider, the load (luggage, child seats, etc.) and the bicycle/eBike. It is specified both in the operating instructions and on the type plate. The permissible gross weight is an important feature of the bicycle/eBike and, in addition to the bicycle category, the set-up, the frame shape and the frame height, it must suit you as a rider.

When making a purchase decision, please make sure that you do not exceed the permissible gross weight in use. However, an overgenerous permissible gross weight does not lead to any further advantage. Comparable to the frame size, the permissible gross weight must be tailored to your individual needs.

100 KG MAX. SYSTEM

JUNIOR

Twenty4 E

Tokee Disc EVO 20

Tokee Disc EVO 24

115 KG MAX. SYSTEM

JUNIOR

Twenty6 EVO

Tokee Disc EVO 26

130 KG MAX. SYSTEM

MOUNTAIN

SONIC EVO SX 1

SONIC EVA SX 1

SONIC EVO SX 2

SONIC EVO SX Dakar

SONIC EVO AM SX 1

SONIC EVA AM SX 1

SONIC EVO AM SX 2

SONIC EVO AM SX-I

SONIC EVO AM-SL 1

SONIC EVO AM-SL 2

SONIC EVO AM-SL 3

SONIC EVO EN-SL 1

SONIC EVO EN-SL 2

SONIC EVO EN-SL Daytona

SONIC EVA 1 27,5

E-Stream EVO 1 27,5

MOUNTAIN

E-Stream EVO 1 29

E-Stream EVO TR 1

E-Stream EVA TR 1

E-Stream EVA TR 2

E-Stream EVA 1

Copperhead EVO 1 27,5

Copperhead EVO 1 29

Copperhead EVO 2 27,5

Copperhead EVO 2 29

Copperhead EVO 2 ABS 29

Copperhead EVO 3 27,5

Copperhead EVO AM 1

Copperhead EVO AM 2 ABS

Copperhead EVO AM 3

Aminga CX

Aminga EVA 1

Aminga EVA 2

MOUNTAIN

Aminga EVA 3

Aminga EVA 4

Aminga EVA TR 1

Aminga EVA TR 2

LT EVO Performance 27,5

LT EVO Performance 29

LT EVA Performance 27,5

LT CX 27,5

LT CX 29

LT Performance 27,5

LT EVO CX 27,5

LT EVO CX 29

SUV

LT EVO Performance SUV

135 KG MAX. SYSTEM

SUV

Iconic EVO 1
Iconic EVO Belt
Iconic EVO 2
Allground EVO

URBAN

Sturmvogel EVO 5F Belt
Urban EVO 1
Urban EVO 2
Urban EVO Amsterdam
Urban EVO 3

TREKKING

Cross Flyer EVO 2
Cross Flyer EVO 1
Streetliner EVO

GRAVEL

Grinder EVO
Espresso Grinder EVO

150 KG MAX. SYSTEM

MOUNTAIN

SONIC EVO
SONIC EVA
SONIC EVO TR 1
SONIC EVA TR 1
SONIC EVO TR 2
SONIC EVO TR-I
SONIC EVO AM 1
SONIC EVO AM 2
SONIC EVO AM 3
SONIC EVO AM 2 ABS
SONIC EVO AM 3 ABS
SONIC EVO AM 4
SONIC EVO AM Team
VUCA EVO AM 1
VUCA EVO AM 2

MOUNTAIN

E-Stream EVO AM 2
E-Stream EVO AM 3
E-Stream EVO AM 4
E-Stream EVO AM 5
E-Stream EVO AM 6

XXL

Copperhead EVO 2 XXL 27,5
Copperhead EVO 2 XXL 29
Copperhead EVO 2 XXL Street 27,5
Copperhead EVO 3 XXL ABS

SUV

VUCA EVO X 1
VUCA EVO FSX 1
Iconic EVO 3
Iconic EVO 3 ABS
Iconic EVO TR 1

TREKKING

Cross Rider EVO 2
Cross Rider EVO 1
Cross Lite EVO 1
Cross Lite EVO 2
Cross Lite EVO 3
Lacuba EVO 9
Lacuba EVO 10
Lacuba EVO 11
Lacuba EVO 12
Lacuba EVO NV Belt Automatic
Lacuba EVO 10 SUV
Lacuba EVO 11 SUV

PRODUCT INDEX

Modellbezeichnungen im Überblick

EVO	im Rahmen integrierter Akku
EVA	im Rahmen integrierter Akku (Damenmodell)
EN	Enduro
AM	All Mountain
TR	Trail
SX	Bosch Performance Line SX (Motor)
SL	Superlight (Bauweise)
ABS	Antiblockier-System
BELT	Riemenantrieb
SUV	Sport Utility Vehicle
E	aufgesetzter Rahmenakku

Model designations at a glance

EVO	Battery integrated in the frame
EVA	Battery integrated in the frame (ladies model)
EN	Enduro
AM	All Mountain
TR	Trail
SX	Bosch Performance Line SX (Motor)
SL	Superlight (Construction)
ABS	Anti-lock system
BELT	Belt drive
SUV	Sport Utility Vehicle
E	Attached frame battery